



खोटेहाड गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
खोटेहाड गाउँपालिका

AMBULANCE खरिद सम्बन्धी क्याटलक सपिङ्ग सिलबन्दी आह्वानको सूचना


प्रथम पटक सूचना प्रकाशित मिति : २०७९/०८/१३

यस खोटेहाड गाउँपालिका गाउँकार्यपालिकाको कार्यालयको आ.व. २०७९/०८० को स्वीकृत वार्षिक कार्यक्रम अन्तर्गत Ambulance खरिद सम्बन्धमा सार्वजनिक खरिद ऐन, २०६३ (पहिलो संशोधन, २०७३) को दफा ८ को उपदफा १ (क) तथा सार्वजनिक खरिद नियमावली २०६४ को नियम ३१(ख) र उत्पादक वा अधिकृत बिक्रेताद्वारा निर्धारित दरमा (क्याटलक सपिङ्ग) खरिद गर्ने कार्यविधि, २०७४ बमोजिम त्यस्तो Ambulance उत्पादक कम्पनी वा सो को आधिकारिक बिक्रेताहरुको बीच मात्र प्रतिस्पर्धा गराउने (क्याटलग सपिङ्ग) विधिबाट खरिद गर्नुपर्ने भएकाले सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१(ख) को उपनियम २ अनुसार देहाय बमोजिम Ambulance उत्पादकको आधिकारीक स्पेसिफिकेशन, गुणस्तर र कम्पनीको आधिकारीक मूल्य खुल्ने कागजात (कलरफुल क्याटलग वा ब्रोसर) संलग्न राखी तपशिलमा उल्लेख भए बमोजिम सूचिकृत गरि शिलबन्दी प्राविधिक प्रस्ताव दर्ता गराउन हुन सम्बन्धित उत्पादक वा आधिकारीक बिक्रेताको जानकारीको लागि यो सूचना प्रकाशित गरिन्छ।

तपशिल :

१. सिलबन्दी प्रस्ताव सम्बन्धी कागजात यस कार्यालयबाट प्राप्त गर्न सकिने छ।
२. उक्त प्रस्ताव लिनका लागि इच्छुक इजाजत प्राप्त उत्पादन कम्पनी वा त्यसको आधिकारीक बिक्रेताहरुले आफ्नो फर्म/कम्पनी दर्ता अधिकार प्रत्यायोजन पत्र, प्यान/भ्याटदर्ता, आ.व. २०७७/०७८ को कर चुक्ता प्रमाणपत्रको प्रमाणित प्रतिलिपि कम्पनीको निवेदन सहित सूचना प्रकाशित भएको मितिले चौधौं (१४) दिन भित्र यस कार्यालयमा कार्यालय समयभित्र उपस्थित हुनु पर्नेछ।
३. यो सूचना प्रथम पटक प्रकाशित भएको पन्ध्रौं (१५) दिन २०७९/०८/२७ गते १२:०० बजे भित्र यस गाउँपालिकाको कार्यालयमा सिलबन्दी प्रस्ताव दर्ता गराई सक्नुपर्ने छ र दर्ता भएको सिलबन्दी प्रस्ताव सोही दिन २:०० बजे खोल्ने छ।
४. प्राविधिक प्रस्तावबाट सफल प्रस्तावदाताहरुलाई पुन आर्थिक प्रस्तावको सूचना प्रकाशित गरिनेछ।
५. Ambulance को स्पेसिफिकेशन यस गाउँपालिकाको website: khotehangmun.gov.np मार्फत हेर्न सकिने छ।

क्र.सं.	ठेक्का नं.	सवारी साधनको नाम	संक्षिप्त विवरण	संख्या	कैफियत
१	KRM-CAT/05/2079-080	Ambulance	Ambulance (भन्सार छुट)	१	संक्षिप्त विवरणमा उल्लेख नभएका कुराहरु स्वीकृत प्राविधिक स्पेसिफिकेशन बमोजिम हुनेछ।


.....२०७९/०८/१३
प्रमुख प्रशासकीय अधिकृत

AASA DESIGNS AND BUILDERS PVT.LTD

KMC-31, Sinamangal
Bagmati Province
Nepal

Phone: 9860671555
9851300100
Email: aasamail560064@gmail.com



Technical Specification of Ambulance with AC

S.N.	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED SPECIFICATION
1	General	Ambulance Right hand Drive Model with Four wheel drive , with comfort seating arrangement for patient + min 3 Attendant Seat. Vehicle Wheelbase should be min 2700 mm & Rear Back door opening for Patient.	
2	Engine	Diesel Engine Min. 2500 CC , developing rated Power output not less than 45 KW @3200 Rpm and Torque not less than 190 NM at 1400-2200 RPM with an efficient fuel injection system having precisely control air fuel ratio for high efficiency in response to all loads and operating conditions. The engine shall be fully equipped with all necessary items/accessories and controlling devices for safe, smooth, efficient, economical operation and optimizing vehicle performance producing less amount of pollution.	
3	Emission Standard	The Emission Standard of the offered vehicle must be compliance with or superior that the applicable standard as prescribed by Nepal Vehicle Mass Emission Standard which is to be certified by Department of Transport Management.	
4	Gauges	Fitted with all the gauges, indicators, signals as necessary for efficient operation, functional monitoring, vehicle performance and maintenance that includes (but not Limited to) water temperature, fuel oil pressure, transmission gauge etc. with all standard items of offered model vehicle.	
5	Transmission	5 Gear	

PSi

Technical Specification of Ambulance with AC

6	Ground clearance	Minimum 181 mm (High ground clearance preferred)	
7	Suspension	Suitable for toughest terrain, smooth ride, stable handling and comfortable driving conditions. Telescopic Double Hydraulic Shock Absorber.	
8	Brakes	Front-Disc type. Rear-Drum type	
9	Turning Circle Radius	Turning Circle Radius should not be more than 6.5m	
10	Cab	3 doors, 2 doors at front, 1 Rear Back Door all metallic cab with insulated roof, right hand drive (RHD), laminated glass wind screen, wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and passenger, floor mats, two sun visors and two side view mirror and rear view mirror. Rear body to be metallic, Ambulance type.	
11	Chassis and frame	Steel, Heavy duty high rigidity frame structure suitable for rough road conditions.	
12	Essential Accessories	<ol style="list-style-type: none"> 1. Head light, tail and rear light, reversing-light, and turn signals. 2. Cabin lights 3. Speedometer / Odometer 4. Spare wheel with tyre and tube 5. Hydraulic Jack with handle 6. Front Seat belt for driver and co-passenger 7. Air Conditioner 8. Stretcher 9. Siren 10. Revolving Light 11. Oxygen Cylinder Holder 12. Saline bottle holder 	

PSI

Technical Specification of Ambulance with AC


		13. Anti-skid Floor 14. Side Impact Beam on both Sides 15. Anti-Roll bar 16. Door ajar warning lamp for Driver & Co-Driver 17. Fire Extinguisher Equipped with all accessories in standard model but not limited to the above items.	
13	Instructions	All signs and instructions in the vehicle shall be in English.	
14	Manuals	A set of tools as required for general maintenance shall be supplied with in a lockable toolbox. A) The operator's and owner's Instruction and A). Maintenance manual one for each vehicle. B). Spare Parts catalogue one Copy. C). Comprehensive workshop manual one copy	
15	Tools	A set of tools, with a tool bag as required for general maintenance shall be supplied with each unit.	
16	Color	Standard Color	
17	Proven performance	A) The ambulance offered shall be a current model under standard production by the manufacturer for at least one year. B). The Bidder shall provide the manufacturer's data of performance of the units to include the fuel consumption, performance curve of the engine and production capacity. C). The bidder should provide Emission Standard Certificate for the type Approval and conformity of production from the recognized authority of the vehicle manufacturing country.	

Psi

Technical Specification of Ambulance with AC

18	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
19	Related Service	The Bidder should have a good set up of service center in Nepal with Trained Man Power, testing equipment and working tools. For this purpose the bidder should submit sufficient documentary evidences that the set up center is capable of providing repair and maintenance of the supplied units within the stipulated time.	
20	Delivery	Should be delivered to Khotelang Rural Municipality, Khotang	

Prepared By,



Er. Ritesh Sapkota
Mechanical Engineer